


Promisingly  
engaged in Illuminating  
your surroundings!



About the brand  
“CHARZE”





Have you ever wondered if the path to your desired destination is too arduous at night or in low light? Most of us might have had experience with filament bulbs at busy street lights decades back and with today's Led revolution too. In this era of advanced Led Lights, the brand "Charze" has successfully achieved significant milestones with its wide range of BIS certified energy-saving environment-friendly elegant premium LEDs and excellent service support at a very competitive price range.

The journey of the brand "Charze" began in early 2018 with a clear vision of efficiently illuminating India with its founder Mr. S. Singhania (Director). The spontaneous development and overall operations of the brand "Charze" has been precisely driven by Mr. Singhania's empowering enthusiasm enriched with over 10+ years of experience in relevant fields.

The brand "Charze" is well appreciated and even endorsed for its wide range of product and sub-variants of domestic as well as commercial Led lights from time to time. In today's market we are engaged in distributing and installing different variants of the Flood light eco series & lens series, Street light, High-bay light, Tube light, Inverter bulb, Led bulb, Led panel square & round, Led eco panel square & round, Surface Led square & round, PVC spotlight, Junction light, Concealed light, COB square & round, Track light, Bulkhead, Makhi lights, Stricker, Ringo panel, Glory PVC surface round, K lite & Deep junction PVC light etc.

## Nationwide strength

We have a vast dealer distributor network of 100+ active members considered the "Charze" family. All through the "Charze" family is large enough with all our valued customers, who are proudly using 38000+ units and the additional counting continues.





## What brought us wide acceptance

We deliver the best quality LED Chip to get high Lumen Output. As the quality was tested and verified by our highly skilled professional, we assure you that the LED life might exceed 20,000 Hrs. We always deliver our products with integrated short-circuit protection. For ultimate safety surge protection comes with a selective "Charze" Led range. Our research & development team is engaged in a continuous product development process to deliver cutting-edge technology. And we are well equipped to provide the best service support to our customers with a dedicated expert team through our best service & tech - support system. In a nutshell, our valued customers from all over the nation made us escalate the brand "Charze" to a pick of brand prominence & trustworthiness.

## Charze's USP



**Exclusive  
warranty policy**



**Hard  
quality control**



**Budget-  
friendly**



**Environment  
friendly**



**Effective  
service support**





## From the Director's Desk

---

I welcome you on behalf of the brand "Charze" family and thank you all for showing interest in us.

For years people have been enlightened with the brand "Charze" and entered its family and transformed their premises into bright, elegant, and enhanced visibility. By installing Charze LED you will experience the pleasure of having a top-notch quality product that reflects your taste socially and personally. Establishing excellence and creating value for our products are our inspiring principles that truly adapted to the operating process of the organization.

We believe in taking an active part in initiating a better and brighter India for tomorrow. I appreciate like-minded citizens and also heartily welcome to the "Charze" family. You are privileged with our multifarious partnering program like dealership, distributorship & franchisee. We would expect that you venture beyond your boundaries and take maximum advantage of these facilities, participate fully and evolve into the brand "Charze".

**Stay Healthy, and stay connected!**



**Mr. S. Singhania**  
Managing Director  
Charze LED, Kolkata

# FLOOD LIGHT



ECO  
Series

LENS  
Series

DEEP LENS  
Series



### ECO Series



UNIQUE-ID	POWER	COLOR	DIMENSION	PKG. NO.	MRP
CI_1101	10W	☑️ □️ □️	126 X 118 X 38 mm	40	2000
CI_1102	20W	☑️ □️ □️	182 X 185 X 43 mm	10	2500
CI_1103 - 04	30W	☑️ □️ ☑️	182 X 185 X 43 mm	10	3000
CI_1105 - 07	30W	☑️ ☑️ ☑️	182 X 185 X 43 mm	20	4000
CI_1108 - 09	50W	☑️ □️ ☑️	223 X 227 X 49 mm	10	5000
CI_1110 - 12	50W	☑️ ☑️ ☑️	223 X 227 X 49 mm	10	6000
CI_1113 - 14	100W	☑️ □️ ☑️	275 X 285 X 64 mm	10	7500
CI_1115	150W	☑️ □️ □️	292 X 292 X 68 mm	5	10000
CI_1116 - 17	200W	☑️ □️ ☑️	315 X 336 X 72 mm	5	12000
CI_1118	300W	☑️ □️ □️	420 X 318 X 95 mm	5	20000



### LENS Series



UNIQUE-ID	POWER	COLOR	DIMENSION	PKG. NO.	MRP
CI_1201	50W	☑️ □️ □️	275 X 285 X 64mm	20	5000
CI_1202	100W	☑️ □️ □️	292 X 292 X 68mm	10	8000
CI_1203	150W	☑️ □️ □️	243 X 362 X 85mm	5	11000
CI_1204	200W	☑️ □️ □️	318 X 336 X 90mm	5	13000



### DEEP LENS Series



UNIQUE-ID	POWER	COLOR	DIMENSION	PKG. NO.	MRP
CI_1901	50W	☑️ □️ □️	182 X 182 X 42mm	10	2160
CI_1902	100W	☑️ □️ □️	223 X 227 X 49mm	5	3450

Color Temperature Guide	CW	WW	RED	GREEN	BLUE
	6500K	3000K			







# STREET LIGHT



UNIQUE-ID	POWER	COLOR	DIMENSION	PKG. NO.	MRP
CI_1301	15W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	270 X 85 X 40 mm	20	2000
CI_1302	20W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	300 X 103 X 46 mm	20	3000
CI_1303	30W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	340 X 124 X 48 mm	20	3500
CI_1304	36W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	340 X 124 X 46 mm	20	4000
CI_1305	50W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	390 X 145 X 50 mm	10	6000
CI_1306	100W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	452 X 170 X 58 mm	10	10000

Color Temperature Guide  CW 6500K





# HIGH BAY LIGHT



UNIQUE-ID	POWER	COLOR	DIMENSION	PKG. NO.	MRP
CI_1401	100W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	300 X 155 mm	1	15000
CI_1402	150W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	350 X 155 mm	1	25000
CI_1403	200W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	395 X 180 mm	1	30000

Color Temperature Guide  CW 6500K







SLIM PANEL



3in1 PANEL







### SLIM PANEL



UNIQUE-ID	POWER	COLOR	DIMENSION	PKG. NO.	MRP
CI_2101 - 03	03W	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	2.60 inches	50	900
CI_2108 - 10	06W	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	4.00 inches	40	1200
CI_2115 - 18	08W	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	4.00 inches	40	1300
CI_2119 - 20	12W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>	6.00 inches	30	1500
CI_2125 - 28	15W	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	6.00 inches	30	2000
CI_2129 - 30	18W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>	8.00 inches	20	2500
CI_2131 - 32	22W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>	8.00 inches	20	3000



### SLIM PANEL



UNIQUE-ID	POWER	COLOR	DIMENSION	PKG. NO.	MRP
CI_2104 - 07	03W	<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>	2.60 inches	50	1000
CI_2111 - 14	06W	<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>	4.00 inches	40	1300
CI_2121 - 24	12W	<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>	6.00 inches	30	2000



### 3in1 PANEL



UNIQUE-ID	POWER	COLOR	DIMENSION	PKG. NO.	MRP
CI_2115	06W	<input checked="" type="checkbox"/> 3 in 1	4.00 inches	40	1900
CI_2125	12W	<input checked="" type="checkbox"/> 3 in 1	6.00 inches	20	2800

Color Temperature Guide	<input type="checkbox"/> CW 6500K	<input type="checkbox"/> NW 4000K	<input type="checkbox"/> WW 3000K	<input type="checkbox"/> RED	<input type="checkbox"/> GREEN	<input type="checkbox"/> BLUE	<input type="checkbox"/> PINK	<input checked="" type="checkbox"/> 3in1 CW+NW+WW
-------------------------	--------------------------------------	--------------------------------------	--------------------------------------	------------------------------	--------------------------------	-------------------------------	-------------------------------	--






SURFACE



ECO SLIM PANEL



ECO 3in1







SURFACE						IP 20	120° Beam Angle	80 CRI	2 Year Guarantee	Home	Form	SQ	RD
UNIQUE-ID	POWER	COLOR	DIMENSION	PKG. NO.	MRP								
CI_2301 - 02	6W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>	4.50 inches	40	1500								
CI_2307 - 08	9W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>	4.50 inches	40	1800								
CI_2309 - 10	12W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>	6.50 inches	30	2500								
CI_2311 - 12	15W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>	6.50 inches	30	2500								
CI_2313 - 14	18W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>	8.50 inches	20	3000								



SURFACE						IP 20	120° Beam Angle	80 CRI	2 Year Guarantee	Home	Form	SQ	RD
UNIQUE-ID	POWER	COLOR	DIMENSION	PKG. NO.	MRP								
CI_2303 - 06	6W	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	4.50 inches	40	1500								



ECO SLIM PANEL						IP 20	120° Beam Angle	80 CRI	2 Year Guarantee	Home	Form	SQ	RD
UNIQUE-ID	POWER	COLOR	DIMENSION	PKG. NO.	MRP								
CI_2201 - 02	08W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>	4.00 inches	40	1000								
CI_2204 - 05	15W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>	6.00 inches	30	1800								



ECO 3in1						IP 20	120° Beam Angle	80 CRI	2 Year Guarantee	Home	Form	SQ	RD
UNIQUE-ID	POWER	COLOR	DIMENSION	PKG. NO.	MRP								
CI_2203	08W	<input checked="" type="checkbox"/> 3 in 1	4.00 inches	40	1800								

Color Temperature Guide	<input type="checkbox"/> CW 6500K	<input type="checkbox"/> WW 3000K	<input type="checkbox"/> RED	<input type="checkbox"/> GREEN	<input type="checkbox"/> BLUE	<input type="checkbox"/> PINK	<input type="checkbox"/> 3in1 CW+NW+WW
-------------------------	-----------------------------------	-----------------------------------	------------------------------	--------------------------------	-------------------------------	-------------------------------	--



GLORY SURFACE



CONCEALED LIGHT



RINGO PANEL







### GLORY PVC SURFACE



UNIQUE-ID	POWER	COLOR	DIMENSION	PKG. NO.	MRP
CI_8101 - 02	6W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>	85 X 44 mm	70	1000
CI_8103 - 06	6W	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	85 X 44 mm	70	1000
CI_8107 - 08	12W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>	140 X 44 mm	30	1900



### CONCEALED LIGHT



UNIQUE-ID	POWER	COLOR	DIMENSION	PKG. NO.	MRP
CI_4101 - 02	7W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>	3.00 inches	40	700
CI_4103 - 06	7W	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	3.00 inches	40	800
CI_4107	7W	<input checked="" type="checkbox"/> TRI	3.00 inches	40	900



### RINGO PANEL



UNIQUE-ID	POWER	COLOR	SIZE	PKG. NO.	MRP
CI_7101 - 04	6W + 3W	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> + <input checked="" type="checkbox"/> PGB	4.00 inches	40	1500
CI_7109 - 12	3W + 3W	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> + <input checked="" type="checkbox"/> PGB	3.00 inches	40	1200
CI_7117 - 20	12W + 4W	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> + <input checked="" type="checkbox"/> PGB	6.00 inches	20	1800



### RINGO SURFACE PANEL



UNIQUE-ID	POWER	COLOR	SIZE	PKG. NO.	MRP
CI_7105 - 08	6W + 3W	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> + <input checked="" type="checkbox"/> PGB	4.00 inches	40	2100
CI_7113 - 16	3W + 3W	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> + <input checked="" type="checkbox"/> PGB	3.00 inches	40	1400
CI_7121	12W + 4W	<input checked="" type="checkbox"/> + <input checked="" type="checkbox"/> PGB	6.00 inches	20	3000

Color Temperature Guide	CW	WW	RED	GREEN	BLUE	PINK	3in1	PGB & Rainbow	TRI
	6500K	3000K					CW+NW+WW	PINK+GREEN+BLUE	RED+BLUE+PINK



JUNCTION-Deep Down



DEEP JUNCTION



FOOT LIGHT







### JUNCTION - Deep Down



UNIQUE-ID	POWER	COLOR	DIMENSION	PKG. NO.	MRP
CI_10101 - 102	3W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>	80 X 45 mm	70	500
CI_10103 - 106	3W	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	80 X 45 mm	70	500



### DEEP JUNCTION



UNIQUE-ID	POWER	COLOR	DIMENSION	SIZE	PKG. NO.	MRP
CI_10201	8W	<input checked="" type="checkbox"/> + <input checked="" type="checkbox"/> Rainbow	88 X 88 X 42mm	3"	80	1000
CI_10202-204	8W	<input checked="" type="checkbox"/> + <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	88 X 88 X 42mm	3"	80	1000
CI_10205	8W	<input checked="" type="checkbox"/> + Multi Color	88 X 88 X 42mm	3"	80	1200
CI_10206	8W	<input checked="" type="checkbox"/> + <input checked="" type="checkbox"/>	88 X 88 X 42mm	3"	80	1200
CI_10207	15W	<input checked="" type="checkbox"/> + <input checked="" type="checkbox"/> Rainbow	144 X 144 X 45mm	4"	50	1500
CI_10208	15W	<input checked="" type="checkbox"/> + <input checked="" type="checkbox"/>	144 X 144 X 45mm	4"	50	1900
CI_10209	15W	<input checked="" type="checkbox"/> + Multi Color	144 X 144 X 45mm	4"	50	1900



### FOOT LIGHT



UNIQUE-ID	POWER	COLOR	DIMENSION	PKG. NO.	MRP
CI_1801 - 02	4 Module	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	82 X 92 mm	50	400
CI_1803 - 06	4 Module	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	82 X 92 mm	50	400

Color Temperature Guide	CW 6500K	NW 4000K	WW 3000K	RED	GREEN	BLUE	PINK	PGB & Rainbow PINK+GREEN+BLUE	Multi Color - RED+GREEN+BLUE+PINK+WW
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>





PVC SPOT - COB



COB



DEEP COB







### PVC SPOT - COB



UNIQUE-ID	POWER	COLOR	DIMENSION	PKG. NO.	MRP
CI_3101 - 03	3W	☑️☑️☑️	2.00 inches	70	800
CI_3104 - 07	3W	☑️☑️☑️☑️	2.00 inches	70	800
CI_3108 - 10	5W	☑️☑️☑️	3.00 inches	50	1000
CI_3111 - 14	5W	☑️☑️☑️☑️	3.00 inches	50	1000
CI_3115 - 17	7W	☑️☑️☑️	3.60 inches	40	1100
CI_3118 - 21	7W	☑️☑️☑️☑️	3.60 inches	40	1100
CI_3122 - 23	12W	☑️☑️☑️	4.60 inches	20	2300

Introducing Shortly



### COB



ITEM CODE	POWER	COLOR	DIMENSION	MRP
CI_3201 - 02	3W	☑️☑️☑️	65 X 40mm	
CI_3203 - 04	6W	☑️☑️☑️	88 X 65mm	
CI_3205 - 06	9W	☑️☑️☑️	88 X 80mm	
CI_3207 - 08	16W	☑️☑️☑️	115 X 70mm	
CI_3209 - 10	30W	☑️☑️☑️	135 X 95mm	
CI_3211 - 12	50W	☑️☑️☑️	160 X 140mm	

Introducing Shortly



### DEEP COB



UNIQUE-ID	POWER	COLOR	DIMENSION	MRP
CI_3301 - 03	7W	☑️☑️☑️	65 X 56.5 mm	
CI_3304 - 06	12W	☑️☑️☑️	84 X 78 mm	
CI_3307 - 09	18W	☑️☑️☑️	102 X 98 mm	

Color Temperature Guide	CW 6500K	NW 4000K	WW 3000K	RED	GREEN	BLUE	PINK
	☑️	☑️	☑️	☑️	☑️	☑️	☑️





MAKHI



STRICKER



BULK HEAD





Introducing Shortly



With Reflector



Red Wine    Rose Gold    Z-Black



### DEEP COB



UNIQUE-ID	POWER	COLOR	DIMENSION	MRP
CI_3310 - 12	7W	☑ ☑ ☑	65 X 56.5 mm	
CI_3313 - 15	12W	☑ ☑ ☑	84 X 78 mm	
CI_3316 - 18	18W	☑ ☑ ☑	102 X 98 mm	

### MAKHI



UNIQUE-ID	POWER	COLOR	DIMENSION	SIZE	PKG. NO.	MRP
CI_5101 - 03	3W	☑ ☑ ☑	40 X 24 mm	2.35"	10	400
CI_5104 - 07	3W	☑ ☑ ☑ ☑	40 X 24 mm	2.35"	10	400

### STRICKER



UNIQUE-ID	POWER	COLOR	DIMENSION	SIZE	PKG. NO.	MRP
CI_6101-03	3W	☑ ☑ ☑	60 X 11 mm	2.25"	10	400
CI_6104-07	3W	☑ ☑ ☑ ☑	60 X 11 mm	2.25"	10	400
CI_6108-10	5W	☑ ☑ ☑	60 X 16 mm	2.60"	10	400
CI_6111-13	5W	☑ ☑ ☑ ☑	60 X 16 mm	2.60"	10	400

### BULK HEAD



UNIQUE-ID	POWER	COLOR	DIMENSION	PKG. NO.	MRP
CI_1701	10W	☑ ☑ ☑	170 X 70 X 45mm	40	1050
CI_1702	20W	☑ ☑ ☑	215 X 99 X 55mm	20	1470

Color Temperature Guide	CW 6500K	NW 4000K	WW 3000K	RED	GREEN	BLUE	PINK
	☐	☐	☐	☐	☐	☐	☐






4ft LED BATTEN

2ft LED BATTEN



1ft LED BATTEN





## LED TUBE LIGHT



UNIQUE-ID	POWER	COLOR	DIMENSION	PKG. NO.	MRP
CI_1501	10W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	1ft T8	50	1200
CI_1502-03	10W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>	2ft T5	20	1000
CI_1504	20W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	2ft T8	20	1200
CI_1505-06	20W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>	2ft T5	20	950
CI_1507-09	20W	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	2ft T5	20	1000
CI_1510-11	22W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>	4ft T5	25	1100
CI_1512-15	22W	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	4ft T5	25	1200
CI_1516	25W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	4ft T5	20	1300
CI_1517	40W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	4ft T8	20	2000





INVERTER BULB



BULB







### INVERTER BULB



UNIQUE-ID	POWER	COLOR	DIMENSION	PKG. NO.	MRP
CI_1601	9W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	70 X 140 mm	60	1800



### LED BULB



UNIQUE-ID	POWER	COLOR	DIMENSION	PKG. NO.	MRP
CI_1602	30W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>	102 X 180 mm	20	2000
CI_1603-04	40W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>	110 X 195 mm	10	2400
CI_1605-06	50W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>	118 X 205 mm	8	3000

Color Temperature Guide  
 CW 6500K  
 WW 3000K



# K LITE LIGHT



UNIQUE-ID	POWER	COLOR	DIMENSION	PKG. NO.	MRP
CI_9101	3W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>	71.5 X 80 X 60 mm	1	2000
CI_9102	6W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>	146 X 80 X 60 mm	1	2500
CI_9103	12W	<input checked="" type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>	146 X 80 X 60 mm	1	3500

Color Temperature Guide	<input type="checkbox"/> CW 6500K	<input checked="" type="checkbox"/> WW 3000K
-------------------------	--------------------------------------	---



# TRACK LIGHT



Introducing Shortly

## Track



UNIQUE-ID	POWER	COLOR	DIMENSION	PKG.NO.	MRP
CI_3401-02	10W	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>	50 X 120mm		
CI_3403-04	20W	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>	65 X 160mm		
CI_3405-06	30W	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>	75 X 180mm		

Introducing Shortly

## Wall Spot Light




UNIQUE-ID	POWER	COLOR	DIMENSION	PKG.NO.	MRP
CI_3501-02	6W	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>	30 X 90mm		
CI_3503-04	9W	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>	30 X 110mm		
CI_3505-06	12W	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>	50 X 120mm		
CI_3507-08	20W	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>	65 X 160mm		
CI_3509-10	30W	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>	75 X 180mm		
CI_3511-12	50W	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>			

Color Temperature Guide  CW 6500K  NW 4000K





ROPE LIGHT



STRIP LIGHT





Introducing Shortly



**ROPE LED**



UNIQUE-ID	POWER	COLOR	LENGTH	LED/MTR	MRP
CI_11101-09	7.5W	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	45 Mtr		120



**ROPE LED**



UNIQUE-ID	POWER	COLOR	LENGTH	LED/MTR	MRP
CI_11201	7.5W	<input checked="" type="checkbox"/> RGB	45 Mtr		120

Introducing Shortly



**2835-120**



UNIQUE-ID	POWER	COLOR	LENGTH	MRP
CI_12101-09	60W	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	5 Mtr	

**2835-240**



UNIQUE-ID	POWER	COLOR	LENGTH	MRP
CI_12201-09	90W	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	5 Mtr	

**5050-60**



UNIQUE-ID	POWER	COLOR	LENGTH	MRP
CI_11301	60W	<input checked="" type="checkbox"/> RGB	5 Mtr	

Color Temperature Guide	CW 6500K	NW 4000K	WW 3000K	RED	GREEN	BLUE	PINK	AMBER	ICE BLUE	RGB RED+GREEN+BLUE
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>



DRIVER





Introducing Shortly



### SMPS DRIVER

UNIQUE-ID	POWER	WATT PER MTR	DIMENSION	PKG.NO.	MRP
CI_13101	2Amps	12V-24W	102 X 30 X 21 mm		
CI_13102	3Amps	12V-36W	102 X 30 X 21 mm		
CI_13103	5Amps	12V-60W	170 X 53 X 18 mm		
CI_13104	10Amps	12V-120W	225 X 53 X 18 mm		
CI_13105	12.5Amps	12V-150W	250 X 53 X 22 mm		
CI_13106	16.5Amps	12V-200W	308 X 53 X 22 mm		
CI_13107	25Amps	12V-300W	308 X 53 X 22 mm		
CI_13108	33.5Amps	12V-400W	390 X 53 X 22 mm		



Our customer support services are set to a top-notch standard with appropriate solutions and a user-friendly approach to satisfy every caller.



#### CORPORATE OFFICE

18 Rabindra Sarani, Poddar Court,  
Gate No. 4, 2nd Floor, Kolkata -700001

+91 33 46033236 / +91 91470 10333

#### Customer Care

charzeind1@gmail.com



Pictures shown are for illustration purposes only.  
The actual product may vary.

[charze.co.in](http://charze.co.in)